

# AdreneVive

Product #919

## Supplement Facts

Serving Size: 2 Capsules  
Servings Per Container: 30

2 capsules contain	Amount Per Serving	% Daily Value
Ashwaganda Root Extract (Standardized to contain 1.5% Withanolides)	250 mg	*
Skullcap Root Extract (Standardized to contain 30% Flavones as S. baicalensis)	250 mg	*
Eleuthero (Siberian Ginseng) Root Extract (Standardized to contain 0.8% Eleutherosides)	200 mg	*
Rhodiola rosea Root Extract (Standardized to contain 3% Rosavins)	200 mg	*
L-Theanine	100 mg	*
Phosphatidylserine (from soy Lecithin)	100 mg	*

\* % Daily Value not established

## DOSE FORM:

Two-piece veggie capsule, size 00

## OTHER INGREDIENTS:

Natural Vegetable Capsules. This product may contain one or more of the following: Calcium Silicate, Magnesium Stearate, Microcrystalline Cellulose and Silicon Dioxide.

## RATIONALE:

AdreneVive is a mixture of ingredients to help lower excess cortisol, increase the HPA axis feedback loop and reduce the side-effects of acute cortisol and adrenal stress.

## RESEARCH FINDINGS:

### Ashwagandha:

- Ashwagandha (*Withania somnifera*) has traditionally been used in Ayurvedic medicine and has been found to have many adaptogenic properties including anti-stress, antioxidant, immunomodulatory and rejuvenating effects.<sup>1</sup>
- An extract of Ashwagandha (100mg/kg of weight) or placebo was given to mice prior to a forced swim test. It was found that the extract approximately doubled the swim time compared to those receiving the placebo.<sup>1</sup>
- In a similar swim test study in mice receiving Ashwagandha, it was found that Ashwagandha prevented a weight increase of the adrenals and a reduction in ascorbic acid content of the adrenals usually caused by the swim test.<sup>1</sup>

### L-Theanine:

- L-Theanine is an amino acid found predominately in green tea. It crosses the blood brain barrier and has been found to increase dopamine and serotonin production in the brain. L-Theanine is also responsible for increasing alpha-brain wave activity, a sign of relaxation.<sup>2</sup>
- 200 mg of L-Theanine was shown to increase alpha-brain wave activity in students and produce a sense of relaxation.<sup>2</sup>
- In a study examining the effects of L-Theanine on stress, volunteers were given either L-Theanine at the beginning or middle of a stressful arithmetic problem, placebo or nothing. Those receiving the L-Theanine had a reduction in heart rate and salivary IgA, both responses to an acute stress task.<sup>3</sup>
- In a study measuring the effects of a L-Theanine containing soft drink on brain activity (measured at 1,2,3, and 4 hours after ingestion by VEP and EEG), it was found that the L-Theanine was able to attenuate a higher level of mental performance.<sup>4</sup>

### Phosphatidylserine:

- Phosphatidylserine is a soy derived phospholipid that is found in high concentrations in the brain.
- In studies administering phosphatidylserine (50-800 mg) to subjects under stress (physical, emotional, mental, etc), it has been found that phosphatidylserine blunts the effects of cortisol and ACTH. Authors conclude that phosphatidylserine may counteract stress induced activation of the HPA axis.<sup>5,6,7,8</sup>
- Administration of higher doses (100-800mg) of phosphatidylserine have been studied in exercising subjects. It has been found that phosphatidylserine has reduced the cortisol response to overtraining, improve the feeling of well-being, and improve performance.<sup>9,10,11</sup>

### Rhodiola Rosea:

- Rhodiola rosea has been used extensively in Russia, Scandinavia, and traditional folk medicine as an adaptogenic herb. Rhodiola rosea is used to treat fatigue, mental clarity, memory, and increase work productivity.<sup>12</sup>
- An adaptogen is a substance that nonspecifically increases the resistance of an organism and does not disturb normal biological parameters.
- The Soviet Ministry of Health approved a preparation of *R. rosea* as a medicine and tonic as a stimulant for fatigue. In Sweden, *R. rosea* is recognized as an Herbal Medicinal Product and also described as an antifatigue agent in the Textbook of Phytomedicine for Pharmacists. Denmark has also registered *R. rosea* as a medical product in the category of botanical drugs.<sup>12</sup>

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease. The information provided here is intended to help health care professionals make informed decisions about recommending this product safely and effectively.

- A randomized, double-blind, placebo controlled clinical study examined the effects of *R. rosea* on fatigue and stress. 161 cadets ages 19-21 volunteered. The study showed a significant antifatigue effect for those who received the *R. rosea* (185 mg, twice daily).<sup>13</sup>

#### Siberian Ginseng:

- Siberian ginseng is used in China to improve general health, improve memory, and enhance endurance. Siberian ginseng is regarded as an adaptogen.<sup>14</sup>
- The German Commission E approved eleuthero as a tonic to help with fatigue and concentration.<sup>14</sup>
- Specific compounds of Siberian ginseng, known as eleutherosides, have been shown to be the primary compounds responsible for Siberian ginseng's adaptogenic activity.<sup>15</sup>
- 20 elderly hypertensive volunteers were randomized in a double-blind manner to receive either 300 mg/day *E. senticosus* or placebo. Volunteers receiving the *E. senticosus* noticed improvement in mental health and social functioning after 4 weeks.<sup>15</sup>

#### Skullcap Root:

- The effects of SSF, an active constituent extracted from stems and leaves of baical skullcap, was examined in mice given D-galactose to impair memory. It was found that SSF could significantly reverse the increased latencies and number of errors in mice undergoing a water maze task. The authors conclude that SSF could ameliorate the cognitive deficits and pathological alterations of neuron and immune systems in mice given d-galactose.<sup>16</sup>
- Wogonin, a plant flavone found in *Scutellaria baicalensis*, has been found to inhibit dexamethasone-induced (a glucocorticoid) apoptotic changes such as phosphatidylserine translocation and caspase activation in rat thymocytes. This suggests that wogonin may be a likely candidate to reduce the immunosuppressive side effect of glucocorticoid.<sup>17</sup>

## DOSE:

As a dietary supplement, 2 capsules 1-2 times per day or as recommended by your health care professional.

## CONTRAINDICATIONS, ADVERSE OR OTHER REACTIONS:

Do not consume this product if you are pregnant or nursing, consult your physician for information.

## REFERENCES:

1. Mishra, L.C.; Singh, B.B.; and Dagenais, S. Scientific basis for the therapeutic use of *Withania somnifera* (ashwagandha): a review. *Altern Med Rev.* 2000; 5(4):334-346.
2. L-theanine . Monograph. *Altern Med Rev.* 2005; 10(2):136-138.
3. Kimura, K.; Ozeki, M. et al. L-Theanine reduces psychological and physiological stress responses. *Biol Psychol.* 2007; 74(1):39-45.
4. Dimpfel, W.; Kler, A. et al. Source density analysis of the human EEG after ingestion of a drink containing decaffeinated extract of green tea enriched with L-theanine and theogallin. *Nutr Neurosci.* 2007; 10(3-4):169-180.
5. Monteleone, P.; Maj, M. et al. Blunting by chronic phosphatidylserine administration of the stress-induced activation of the hypothalamo-pituitary-adrenal axis in healthy men. *Eur J Clin Pharmacol.* 1992; 42(4):385-388.
6. Benton, D.; Donohoe, R.T. et al. The influence of phosphatidylserine supplementation on mood and heart rate when faced with an acute stressor. *Nutr Neurosci.* 2001; 4(3):169-178.
7. Monteleone, P.; Beinat, L. et al. Effects of phosphatidylserine on the neuroendocrine response to physical stress in humans. *Neuroendocrinology.* 1990; 52(3):243-248.
8. Hellhammer, J.; Fries, E. et al. Effects of soy lecithin phosphatidic acid and phosphatidylserine complex (PAS) on the endocrine and psychological responses to mental stress. *Stress.* 2004; 7(2):119-126.
9. Kingsley, M. Effects of phosphatidylserine supplementation on exercising humans. *Sports Med.* 2006; 36(8):657-669.
10. Kingsley, M.I.; Miller, M. et al. Effects of phosphatidylserine on exercise capacity during cycling in active males. *Med Sci Sports Exerc.* 2006; 38(1):64-71.
11. Jager, R.; Purpura, M.; and Kingsley, M. Phospholipids and sports performance. *J Int Soc Sports Nutr.* 2007; 4:5-
12. American Botanical Council. American Botanical Council. *rhodiola rosea: A Phytomedicinal Overview.* <http://www.herbalgram.org>. 2002;
13. Shevtsov, V.A.; Zholus, B.I. et al. A randomized trial of two different doses of a SHR-5 *Rhodiola rosea* extract versus placebo and control of capacity for mental work. *Phytomedicine.* 2003; 10(2-3):95-105.
14. American Botanical Council. American Botanical Council. *Eleuthero root.* <http://www.herbalgram.org>. 2000;
15. Cicero, A.F.; Derosa, G. et al. Effects of Siberian ginseng (*Eleutherococcus senticosus maxim.*) on elderly quality of life: a randomized clinical trial. *Arch Gerontol Geriatr Suppl.* 2004;(9):69-73.
16. Shang, Y.Z.; Gong, M.Y. et al. Improving effects of SSF on memory deficits and pathological changes of neural and immunological systems in senescent mice. *Acta Pharmacol Sin.* 2001; 22(12):1078-1083.
17. Enomoto, R.; Suzuki, C. et al. Wogonin prevents immunosuppressive action but not anti-inflammatory effect induced by glucocorticoid. *Ann NY Acad Sci.* 2007; 1095:412-417.

